

Tak		80	70	70	50	50	80	70	70	50	50
Vägg		60	50	30	50	30	60	50	30	50	30
Golv		30	20	20	20	20	30	20	20	20	20
Rumsstorlek		Bildriktning tvärs till tvärsaxel					Bildriktning längs till tvärsaxel				
X	Y										
2H	2H	18.3	20.1	20.9	20.3	21.1	18.5	20.3	21.1	20.6	21.3
	3H	18.8	20.6	21.3	20.9	21.6	19.2	21.0	21.8	21.3	22.0
	4H	18.9	20.7	21.4	21.0	21.7	19.5	21.3	22.0	21.7	22.3
	6H	18.9	20.8	21.4	21.1	21.7	19.7	21.6	22.2	21.9	22.5
	8H	18.9	20.8	21.4	21.1	21.7	19.8	21.6	22.3	22.0	22.6
	12H	18.9	20.8	21.3	21.1	21.7	19.8	21.7	22.3	22.1	22.6
4H	2H	18.6	20.4	21.1	20.7	21.4	18.8	20.6	21.3	20.9	21.6
	3H	19.2	21.1	21.7	21.4	22.0	19.7	21.5	22.1	21.9	22.4
	4H	19.4	21.3	21.8	21.7	22.1	20.1	21.9	22.4	22.3	22.8
	6H	19.5	21.4	21.8	21.8	22.2	20.4	22.3	22.7	22.7	23.1
	8H	19.5	21.4	21.8	21.9	22.2	20.5	22.4	22.8	22.9	23.2
	12H	19.5	21.4	21.8	21.9	22.2	20.6	22.5	22.9	23.0	23.3
8H	4H	19.5	21.4	21.8	21.9	22.2	20.1	22.0	22.4	22.5	22.8
	6H	19.7	21.6	21.9	22.1	22.4	20.6	22.5	22.8	23.0	23.2
	8H	19.7	21.7	21.9	22.2	22.4	20.8	22.7	23.0	23.2	23.4
	12H	19.7	21.7	21.9	22.2	22.4	20.9	22.9	23.1	23.4	23.6
12H	4H	19.5	21.4	21.8	21.9	22.2	20.1	22.0	22.4	22.5	22.8
	6H	19.7	21.6	21.9	22.1	22.4	20.5	22.5	22.8	23.0	23.2
	8H	19.8	21.7	21.9	22.2	22.4	20.8	22.7	22.9	23.2	23.4

S = 1,0H	+2,0 / -0,9	+1,5 / -0,7
S = 1,5H	+3,7 / -1,4	+3,0 / -1,0
S = 2,0H	+5,3 / -2,2	+4,5 / -1,6
Standardabweichung	BKD2	BKD3
Korrektionsfaktor	3,6	4,7