

Beräkning av blandning enligt UGR

| ρ Tak | 60 | 70 | 70 | 50 | 50 | 60 | 70 | 70 | 50 | 50 | |
|------------------|-----|------------------------------------|------|------|------|------|------------------------------------|------|------|------|------|
| ρ Vågg | 60 | 50 | 30 | 50 | 30 | 60 | 50 | 30 | 50 | 30 | |
| ρ Golv | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | |
| Rumsstorlek X | Y | Blickriktning tvärs till tvärsaxel | | | | | Blickriktning längs till tvärsaxel | | | | |
| 2H | 2H | 21.1 | 22.9 | 23.7 | 23.2 | 23.9 | 21.1 | 22.9 | 23.7 | 23.2 | 23.9 |
| 2H | 3H | 21.1 | 23.0 | 23.7 | 23.3 | 23.9 | 21.1 | 23.0 | 23.7 | 23.3 | 23.9 |
| 2H | 4H | 21.1 | 23.0 | 23.6 | 23.3 | 23.9 | 21.1 | 23.0 | 23.6 | 23.3 | 23.9 |
| 2H | 6H | 21.1 | 22.9 | 23.6 | 23.3 | 23.8 | 21.1 | 22.9 | 23.6 | 23.3 | 23.8 |
| 2H | 8H | 21.1 | 22.9 | 23.5 | 23.3 | 23.8 | 21.1 | 22.9 | 23.5 | 23.3 | 23.8 |
| 2H | 12H | 21.0 | 22.9 | 23.5 | 23.3 | 23.8 | 21.0 | 22.9 | 23.5 | 23.3 | 23.8 |
| 4H | 2H | 21.0 | 22.9 | 23.5 | 23.3 | 23.8 | 21.0 | 22.9 | 23.5 | 23.3 | 23.8 |
| 4H | 3H | 21.1 | 23.0 | 23.5 | 23.3 | 23.8 | 21.1 | 23.0 | 23.5 | 23.3 | 23.8 |
| 4H | 4H | 21.1 | 23.0 | 23.5 | 23.4 | 23.8 | 21.1 | 23.0 | 23.5 | 23.4 | 23.8 |
| 4H | 6H | 21.1 | 23.0 | 23.4 | 23.4 | 23.8 | 21.1 | 23.0 | 23.4 | 23.4 | 23.8 |
| 4H | 8H | 21.1 | 23.0 | 23.4 | 23.4 | 23.8 | 21.1 | 23.0 | 23.4 | 23.4 | 23.8 |
| 4H | 12H | 21.1 | 23.0 | 23.3 | 23.4 | 23.7 | 21.1 | 23.0 | 23.3 | 23.4 | 23.7 |
| 8H | 4H | 21.0 | 22.9 | 23.3 | 23.4 | 23.7 | 21.0 | 22.9 | 23.3 | 23.4 | 23.7 |
| 8H | 6H | 21.0 | 23.0 | 23.3 | 23.4 | 23.7 | 21.0 | 23.0 | 23.3 | 23.4 | 23.7 |
| 8H | 8H | 21.0 | 23.0 | 23.3 | 23.5 | 23.7 | 21.0 | 23.0 | 23.3 | 23.5 | 23.7 |
| 8H | 12H | 21.0 | 23.0 | 23.2 | 23.5 | 23.7 | 21.0 | 23.0 | 23.2 | 23.5 | 23.7 |
| 12H | 4H | 21.0 | 22.9 | 23.3 | 23.3 | 23.6 | 21.0 | 22.9 | 23.3 | 23.3 | 23.6 |
| 12H | 6H | 21.0 | 23.0 | 23.2 | 23.4 | 23.6 | 21.0 | 23.0 | 23.2 | 23.4 | 23.6 |
| 12H | 8H | 21.0 | 23.0 | 23.2 | 23.5 | 23.6 | 21.0 | 23.0 | 23.2 | 23.5 | 23.6 |

Variation av blickriktning för tvärsaxel S

| | | |
|-------------------|-------------|-------------|
| S = 1.0H | +3.1 / -3.4 | +3.1 / -3.4 |
| S = 1.5H | +5.5 / -4.4 | +5.5 / -4.4 |
| S = 2.0H | +7.4 / -5.3 | +7.4 / -5.3 |
| Standardtabel | BK01 | BK01 |
| Korrektionsfaktor | 5.0 | 5.0 |

Kontrollerade blickriktning för tvärsaxel till totalt ljusflöde